

AMENDMENTS TO THE CLAIMS

A complete listing of all pending claims is presented below.

1. (Currently-Amended) A zoom lens of an inner focus type having four or five lens groups, including at least a first lens group having positive refractive power, a second lens group having negative refractive power, which is movable in an optical axis direction mainly for zooming (varying power), a third lens group having positive refractive power, and a fourth lens group having positive or negative refractive power, which is movable in the optical axis direction for correcting fluctuations in focal position during zooming and for focusing, which lens groups are arrayed in order from an object side, characterized in that:

said first lens group comprises at least a concave lens [which is arrayed nearest to the object side], a convex lens [which is arrayed second- near to the object side], and a triple-cemented lens [and said triple-cemented lens comprises] in which a lens made of special low-dispersion glass [cemented with another lenses] is sandwiched in the middle, which lenses are arrayed [at the object side and an image side] in order from the object side.

2. (Original) The zoom lens as described in claim 1, characterized in that:

said triple-cemented lens in said first lens group includes a first concave lens A1, a convex lens A2 formed of special low-dispersion glass and a second concave lens A3, which lenses are arrayed in order from the object side, and said first concave lens A1 and said convex lens A2 are formed of materials satisfying the following two conditional formulae (1) and (2):

$$(1) \ n_1 - n_2 > 0.3$$

$$(2) \ |v_1 - v_2| > 40$$

wherein refractive indexes at a line C, a line d, a line F and a line g are n_C , n_d , n_F and n_g , respectively, and

n_x is a refractive index n_d at the line d of a lens A_x (an xth lens from the object side among the triple-cemented lens, hereinafter, this is the same), and

v_x is an Abbe number $v_d = (n_d - 1) / (n_F - n_C)$ at the line d of the lens A_x .

3. (Original) The zoom lens as described in claim 1, characterized in that:

said triple-cemented lens in said first lens group includes a first concave lens A1, a convex lens A2 formed of special low-dispersion glass and a second concave lens A3, which lenses are arrayed in order from the object side, and said convex lens A2 and said second concave lens A3 are formed of materials satisfying the following three conditional formulae (3), (4), and (5):

$$(3) |n_2 - n_3| < 0.1$$

$$(4) v_{23} > 80$$

$$(5) \Delta P_{23} > 0.03$$

wherein refractive indexes at a line C, a line d, a line F and a line g are n_C , n_d , n_F and n_g , respectively, and

n_x is a refractive index n_d at the line d of a lens A_x (an xth lens from the object side among the triple-cemented lens, hereinafter, this is the same),

v_x is an Abbe number $v_d = (n_d - 1) / (n_F - n_C)$ at the line d of the lens A_x , and

P_x is a partial dispersion ratio $P = (n_g - n_F) / (n_F - n_C)$ of the lens A_x .

4. (Original) The zoom lens as described in claim 2, characterized in that:

said triple-cemented lens in said first lens group includes a first concave lens A1, a convex lens A2 formed of special low-dispersion glass and a second concave lens A3, which lenses are arrayed in order from the object side, and said convex lens A2 and said second concave lens A3 are formed of materials satisfying the following three conditional formulae (3), (4), and (5):

$$(3) |n_2 - n_3| < 0.1$$

$$(4) v_{23} > 80$$

$$(5) \Delta P_{23} > 0.03$$

wherein refractive indexes at a line C, a line d, a line F and a line g are n_C , n_d , n_F and n_g , respectively, and

n_x is a refractive index n_d at the line d of a lens A_x (an x th lens from the object side among the triple-cemented lens, hereinafter, this is the same),

v_x is an Abbe number $v_d = (n_d - 1) / (n_F - n_C)$ at the line d of the lens A_x , and

P_x is a partial dispersion ratio $P = (n_g - n_F) / (n_F - n_C)$ of the lens A_x .

5. (Original) The zoom lens as described in claim 1, characterized in that:

said first lens group comprises a first lens of a concave meniscus lens whose convex surface faces the object side, a second lens of a convex lens, a triple-cemented lens made of a third lens of a concave meniscus lens whose convex surface faces the object side, a fourth lens of a convex lens and a fifth lens of a concave meniscus lens whose concave surface faces the object side, and a sixth lens of a convex lens, which lenses are arrayed in order from the object side.

6. (Original) The zoom lens as described in claim 2, characterized in that:

said first lens group comprises a first lens of a concave meniscus lens whose convex surface faces the object side, a second lens of a convex lens, a triple-cemented lens made of a third lens of a concave meniscus lens whose convex surface faces the object side, a fourth lens of a convex lens and a fifth lens of a concave meniscus lens whose concave surface faces the object side, and a sixth lens of a convex lens, which lenses are arrayed in order from the object side.

7. (Original) The zoom lens as described in claim 3, characterized in that:

said first lens group comprises a first lens of a concave meniscus lens whose convex surface faces the object side, a second lens of a convex lens, a triple-cemented lens made of a third lens of a concave meniscus lens whose convex surface faces the object side, a fourth lens of a convex lens and a fifth lens of a concave meniscus lens whose concave surface faces the object side, and a sixth lens of a convex lens, which lenses are arrayed in order from the object side.

8. (Original) The zoom lens as described in claim 4, characterized in that:

said first lens group comprises a first lens of a concave meniscus lens whose convex surface faces the object side, a second lens of a convex lens, a triple-cemented lens made of a

third lens of a concave meniscus lens whose convex surface faces the object side, a fourth lens of a convex lens and a fifth lens of a concave meniscus lens whose concave surface faces the object side, and a sixth lens of a convex lens, which lenses are arrayed in order from the object side.

9. (Currently-Amended) A zoom lens of an inner focus type including a first lens group having positive refractive power, a second lens group having negative refractive power, which is movable in an optical axis direction mainly for zooming (varying power), a third lens group having positive refractive power, a fourth lens group having negative refractive power, which is movable in the optical axis direction for correcting fluctuations in focal position during zooming and for focusing, and a fifth lens group having positive refractive power, which lens groups are arrayed in order from an object side, characterized in that:

said first lens group comprises [at least] a concave lens [which is arrayed nearest to the object side], a convex lens [which is arrayed second- near to the object side], and a triple-cemented lens[, and said triple-cemented lens comprises] in which a lens made of special low-dispersion glass is sandwiched in the middle, which lenses are arrayed in order from the object side [cemented with another lenses arrayed at the object side and an image side].

10. (Original) The zoom lens as described in claim 9, characterized in that:

said triple-cemented lens in said first lens group includes a first concave lens A1, a convex lens A2 formed of special low-dispersion glass and a second concave lens A3, which lenses are arrayed in order from the object side, and said first concave lens A1 and said convex lens A2 are formed of materials satisfying the following two conditional formulae (1) and (2):

$$(1) \ n_1 - n_2 > 0.3$$

$$(2) \ |v_1 - v_2| > 40$$

wherein refractive indexes at a line C, a line d, a line F and a line g are n_C , n_d , n_F and n_g , respectively, and

n_x is a refractive index n_d at the line d of a lens A_x (an xth lens from the object side among the triple-cemented lens, hereinafter, this is the same), and

v_x is an Abbe number $v_d = (n_d - 1) / (n_F - n_C)$ at the line d of the lens A_x .

11. (Original) The zoom lens as described in claim 9, characterized in that:

said triple-cemented lens in said first lens group includes a first concave lens A1, a convex lens A2 formed of special low-dispersion glass and a second concave lens A3, which lenses are arrayed in order from the object side, and said convex lens A2 and said second concave lens A3 are formed of materials satisfying the following three conditional formulae (3), (4), and (5):

$$(3) |n_2 - n_3| < 0.1$$

$$(4) v_{23} > 80$$

$$(5) \Delta P_{23} > 0.03$$

wherein refractive indexes at a line C, a line d, a line F and a line g are n_C , n_d , n_F and n_g , respectively, and

n_x is a refractive index n_d at the line d of a lens A_x (an xth lens from the object side among the triple-cemented lens, hereinafter, this is the same),

v_x is an Abbe number $v_d = (n_d - 1) / (n_F - n_C)$ at the line d of the lens A_x , and

P_x is a partial dispersion ratio $P = (n_g - n_F) / (n_F - n_C)$ of the lens A_x .

12. (Original) The zoom lens as described in claim 10, characterized in that:

said triple-cemented lens in said first lens group includes a first concave lens A1, a convex lens A2 formed of special low-dispersion glass and a second concave lens A3, which lenses are arrayed in order from the object side, and said convex lens A2 and said second concave lens A3 are formed of materials satisfying the following three conditional formulae (3), (4), and (5):

$$(3) |n_2 - n_3| < 0.1$$

$$(4) v_{23} > 80$$

$$(5) \Delta P_{23} > 0.03$$

wherein refractive indexes at a line C, a line d, a line F and a line g are n_C , n_d , n_F and n_g , respectively, and

n_x is a refractive index n_d at the line d of a lens A_x (an x th lens from the object side among the triple-cemented lens, hereinafter, this is the same),

v_x is an Abbe number $v_d = (n_d - 1) / (n_F - n_C)$ at the line d of the lens A_x , and

P_x is a partial dispersion ratio $P = (n_g - n_F) / (n_F - n_C)$ of the lens A_x .

13. (Original) The zoom lens as described in claim 9, characterized in that:

said first lens group comprises a first lens of a concave meniscus lens whose convex surface faces the object side, a second lens of a convex lens, a third lens of a concave meniscus lens whose convex surface faces the object side, a fourth lens L4 of a convex lens, a triple-cemented lens made of a fifth lens of a concave meniscus lens whose convex surface faces the object side, a sixth lens of a convex lens and a seventh lens of a concave meniscus lens whose concave surface faces the object side, and a sixth lens of a convex lens, which lenses are arrayed in order from the object side.

14. (Original) The zoom lens as described in claim 10, characterized in that:

said first lens group comprises a first lens of a concave meniscus lens whose convex surface faces the object side, a second lens of a convex lens, a third lens of a concave meniscus lens whose convex surface faces the object side, a fourth lens L4 of a convex lens, a triple-cemented lens made of a fifth lens of a concave meniscus lens whose convex surface faces the object side, a sixth lens of a convex lens and a seventh lens of a concave meniscus lens whose concave surface faces the object side, and an eighth lens of a convex lens, which lenses are arrayed in order from the object side.

15. (Original) The zoom lens as described in claim 11, characterized in that:

said first lens group comprises a first lens of a concave meniscus lens whose convex surface faces the object side, a second lens of a convex lens, a third lens of a concave meniscus lens whose convex surface faces the object side, a fourth lens L4 of a convex lens, a triple-cemented lens made of a fifth lens of a concave meniscus lens whose convex surface faces the

object side, a sixth lens of a convex lens and a seventh lens of a concave meniscus lens whose concave surface faces the object side, and an eighth lens of a convex lens, which lenses are arrayed in order from the object side.

16. (Original) The zoom lens as described in claim 12, characterized in that:

said first lens group comprises a first lens of a concave meniscus lens whose convex surface faces the object side, a second lens of a convex lens, a third lens of a concave meniscus lens whose convex surface faces the object side, a fourth lens L4 of a convex lens, a triple-cemented lens made of a fifth lens of a concave meniscus lens whose convex surface faces the object side, a sixth lens of a convex lens and a seventh lens of a concave meniscus lens whose concave surface faces the object side, and an eighth lens of a convex lens, which lenses are arrayed in order from the object side.

17. (Original) The zoom lens as described in claim 9, characterized in that:

said first lens group comprises a first lens of a concave meniscus lens whose convex surface faces the object side, a second lens of a convex lens, a cemented lens made of a third lens L3 of a concave meniscus lens whose convex surface faces the object side and a fourth lens of a convex lens, a triple-cemented lens made of a fifth lens of a concave meniscus lens whose convex surface faces the object side, a sixth lens of a convex lens and a seventh lens of a concave meniscus lens whose concave surface faces the object side, and an eighth lens of a convex lens, which lenses are arrayed in order from the object side.

18. (Original) The zoom lens as described in claim 10, characterized in that:

said first lens group comprises a first lens of a concave meniscus lens whose convex surface faces the object side, a second lens of a convex lens, a cemented lens made of a third lens L3 of a concave meniscus lens whose convex surface faces the object side and a fourth lens of a convex lens, a triple-cemented lens made of a fifth lens of a concave meniscus lens whose convex surface faces the object side, a sixth lens of a convex lens and a seventh lens of a concave meniscus lens whose concave surface faces the object side, and an eighth lens of a convex lens, which lenses are arrayed in order from the object side.

19. (Original) The zoom lens as described in claim 11, characterized in that:

said first lens group comprises a first lens of a concave meniscus lens whose convex surface faces the object side, a second lens of a convex lens, a cemented lens made of a third lens L3 of a concave meniscus lens whose convex surface faces the object side and a fourth lens of a convex lens, a triple-cemented lens made of a fifth lens of a concave meniscus lens whose convex surface faces the object side, a sixth lens of a convex lens and a seventh lens of a concave meniscus lens whose concave surface faces the object side, and an eighth lens of a convex lens, which lenses are arrayed in order from the object side.

20. (Original) The zoom lens as described in claim 12, characterized in that:

said first lens group comprises a first lens of a concave meniscus lens whose convex surface faces the object side, a second lens of a convex lens, a cemented lens made of a third lens L3 of a concave meniscus lens whose convex surface faces the object side and a fourth lens

of a convex lens, a triple-cemented lens made of a fifth lens of a concave meniscus lens whose convex surface faces the object side, a sixth lens of a convex lens and a seventh lens of a concave meniscus lens whose concave surface faces the object side, and an eighth lens of a convex lens, which lenses are arrayed in order from the object side.

21. (Currently Amended) An imaging apparatus having a zoom lens, imaging means for transforming an image taken in by said zoom lens to an electrical image signal, and image control means, characterized in that:

said image control means, referring to a transformation coordinate coefficient provided in advance according to a variable power rate by said zoom lens, moves points on the image which are defined by the image signal formed by said imaging means to form a new image signal subjected to coordinate transformation and to output said new image signal,

said zoom lens of an inner focus type having four or five lens groups, comprises at least a first lens group having positive refractive power, a second lens group having negative refractive power, which is movable in an optical axis direction mainly for zooming (varying power), a third lens group having positive refractive power, and a fourth lens group having positive or negative refractive power, which is movable in the optical axis direction for correcting fluctuations in focal position during zooming and for focusing, which lens groups are arrayed in order from an object side, and

said first lens group comprises at least a concave lens [which is arrayed nearest to the object side], a convex lens [which is arrayed second- near to the object side], and a triple-cemented lens[, and said triple-cemented lens comprises] in which a lens made of special low-dispersion glass is sandwiched in the middle, which lenses are arrayed in order from the object side [cemented with another lenses arrayed at the object side and an image side].

22. (Original) The imaging apparatus as described in claim 21, characterized in that:

said triple-cemented lens in said first lens group includes a first concave lens A1, a convex lens A2 formed of special low-dispersion glass and a second concave lens A3, which lenses are arrayed in order from the object side, and said first concave lens A1 and said convex lens A2 are formed of materials satisfying the following two conditional formulae (1) and (2):

$$(1) \ n_1 - n_2 > 0.3$$

$$(2) \ |v_1 - v_2| > 40$$

wherein refractive indexes at a line C, a line d, a line F and a line g are n_C , n_d , n_F and n_g , respectively, and

n_x is a refractive index n_d at the line d of a lens A_x (an x th lens from the object side among the triple-cemented lens, hereinafter, this is the same), and

v_x is an Abbe number $v_d = (n_d - 1) / (n_F - n_C)$ at the line d of the lens A_x .

23. (Original) The imaging apparatus as described in claim 21, characterized in that:

said triple-cemented lens in said first lens group includes a first concave lens A1, a convex lens A2 formed of special low-dispersion glass and a second concave lens A3, which lenses are arrayed in order from the object side, and said convex lens A2 and said second concave lens A3 are formed of materials satisfying the following three conditional formulae (3), (4), and (5):

$$(3) \ |n_2 - n_3| < 0.1$$

$$(4) \ v_{23} > 80$$

$$(5) \Delta P_{23} > 0.03$$

wherein refractive indexes at a line C, a line d, a line F and a line g are n_C , n_d , n_F and n_g , respectively, and

n_x is a refractive index n_d at the line d of a lens A_x (an x th lens from the object side among the triple-cemented lens, hereinafter, this is the same),

v_x is an Abbe number $v_d = (n_d - 1) / (n_F - n_C)$ at the line d of the lens A_x , and

P_x is a partial dispersion ratio $P = (n_g - n_F) / (n_F - n_C)$ of the lens A_x .

24. (Original) The imaging apparatus as described in claim 22, characterized in that:

said triple-cemented lens in said first lens group includes a first concave lens A_1 , a convex lens A_2 formed of special low-dispersion glass and a second concave lens A_3 , which lenses are arrayed in order from the object side, and said convex lens A_2 and said second concave lens A_3 are formed of materials satisfying the following three conditional formulae (3), (4), and (5):

$$(3) |n_2 - n_3| < 0.1$$

$$(4) v_{23} > 80$$

$$(5) \Delta P_{23} > 0.03$$

wherein refractive indexes at a line C, a line d, a line F and a line g are n_C , n_d , n_F and n_g , respectively, and

n_x is a refractive index n_d at the line d of a lens A_x (an x th lens from the object side among the triple-cemented lens, hereinafter, this is the same),

v_x is an Abbe number $v_d = (n_d - 1) / (n_F - n_C)$ at the line d of the lens A_x , and

P_x is a partial dispersion ratio $P = (n_g - n_F) / (n_F - n_C)$ of the lens A_x .

25. (Original) The imaging apparatus as described in claim 21, characterized in that:

said first lens group comprises a first lens of a concave meniscus lens whose convex surface faces the object side, a second lens of a convex lens, a triple-cemented lens made of a third lens of a concave meniscus lens whose convex surface faces the object side, a fourth lens of a convex lens and a fifth lens of a concave meniscus lens whose concave surface faces the object side, and a sixth lens of a convex lens, which lenses are arrayed in order from the object side.

26. (Original) The imaging apparatus as described in claim 22, characterized in that:

said first lens group comprises a first lens of a concave meniscus lens whose convex surface faces the object side, a second lens of a convex lens, a triple-cemented lens made of a third lens of a concave meniscus lens whose convex surface faces the object side, a fourth lens of a convex lens and a fifth lens of a concave meniscus lens whose concave surface faces the object side, and a sixth lens of a convex lens, which lenses are arrayed in order from the object side.

27. (Original) The imaging apparatus as described in claim 23, characterized in that:

said first lens group comprises a first lens of a concave meniscus lens whose convex surface faces the object side, a second lens of a convex lens, a triple-cemented lens made of a

third lens of a concave meniscus lens whose convex surface faces the object side, a fourth lens of a convex lens and a fifth lens of a concave meniscus lens whose concave surface faces the object side, and a sixth lens of a convex lens, which lenses are arrayed in order from the object side.

28. (Original) The imaging apparatus as described in claim 24, characterized in that:

said first lens group comprises a first lens of a concave meniscus lens whose convex surface faces the object side, a second lens of a convex lens, a triple-cemented lens made of a third lens of a concave meniscus lens whose convex surface faces the object side, a fourth lens of a convex lens and a fifth lens of a concave meniscus lens whose concave surface faces the object side, and a sixth lens of a convex lens, which lenses are arrayed in order from the object side.